INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 42 December 1986

Acer rubrum 324
Acheta domesticus 390
Acris crepitans 267
Acrochordus arafurae 356
Agkistrodon 456
  acutus 450, 453
  bilineatus 450, 454
  blomhoffi 454
  contortrix 181–182, 449–450, 454
  halys 450, 454
  himalayanus 454
  hypnale 450
  intermedius 454
  piscivorus 450–451, 454
  rhodostoma 450, 453
Aldabrachelys 237, 240
Alligator mississippiensis 192
Ambystoma laterale 178
  maculatum 320, 334–344
  opacum 334–340, 343–344
  talpoideum 334–344
  texanum 149
  tigrinum 310, 313, 320, 336, 343, 483–484, 488, 490
  tigrinum mavortium 484
Amelanchier 324
Amphibolurus 88, 406
  ornatus 88
  spp. 409
Anguis fragilis 41
Anolis 156
  aequatorialis 270
  fitchi 270
  limifrons 341
Ansonia 201, 253
Aquila chrysaetos 63
Aristida stricta 126
Artemia salina 336
Asterodactylus 427
Atelopus 201–202
  chiriquiensis 198
  cruciger 200
  ebenoides 198
  flavescens 198
  ignescens 198
  longirostris 198
  lynchi 198
  mindoensis 198
  pachydermus 198
  pernambucensis 197–199
  peruensis 198
  proboscideus 197
  senex 198
  spumarius 198, 203
  varius 198
Azemiops 452–453
  feae 450
Barkudia insularis 43
Barringtonia 349
Barycholos 252
  pulcher 256
Batrachoseps 177
Betula lutea 324
Bitis arietans 450
Bothrops 449
  alternatus 454
  asper 454
  atrox 450, 454
  bilineatus 454
  brachystoma 454
  brazili 454
  caribbaeus 454
  castelnaudi 454
  cotiara 454
  fonsecai 454
  godmani 454, 456
  jararaca 454
  jararacussu 454
  lanceolatus 454
  lansbergii 454
  lateralis 454, 456
  lojana 454, 456
  microphthalmus 454, 456
  monticelli 454
  moojeni 454
  nasutus 454, 456
  neuwiedi 450
  neuwiedii 454
  nigroviridis 454, 456
  nummifera 450, 454
  ophryomegas 454
  pictus 454, 456
  pradoi 454
  pulcher 454
  sanctaecrucis 454
  schlegli 454, 456
  undulatus 454, 456
Bromus 80, 87
  rubens 75, 79
Bufo 169, 199, 201
  vertebralis 200
  woodhousei 389–393
Bufoides 201
Cacophryne 201
Caecilia albiventris 396
  inca 396
  mertensi 396
  tentaculata 396
  tenuissima 396
Callichelys 246
Calliclemys 246
Calloselasma rhodostoma 449–450, 453–454
Camissonia 80, 87
  munzii 75, 79, 86

INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 42 December 1986

Acer rubrum 324
Acheta domesticus 390
Acris crepitans 267
Acrochordus arafurae 356
Agkistrodon 456
  acutus 450, 453
  bilineatus 450, 454
  blomhoffi 454
  contortrix 181–182, 449–450, 454
  halys 450, 454
  himalayanus 454
  hypnale 450
  intermedius 454
  piscivorus 450–451, 454
  rhodostoma 450, 453
Aldabrachelys 237, 240
Alligator mississippiensis 192
Ambystoma laterale 178
  maculatum 320, 334–344
  opacum 334–340, 343–344
  talpoideum 334–344
  texanum 149
  tigrinum 310, 313, 320, 336, 343, 483–484, 488, 490
  tigrinum mavortium 484
Amelanchier 324
Amphibolurus 88, 406
  ornatus 88
  spp. 409
Anguis fragilis 41
Anolis 156
  aequatorialis 270
  fitchi 270
  limifrons 341
Ansonia 201, 253
Aquila chrysaetos 63
Aristida stricta 126
Artemia salina 336
Asterodactylus 427
Atelopus 201–202
  chiriquiensis 198
  cruciger 200
  ebenoides 198
  flavescens 198
  ignescens 198
  longirostris 198
  lynchi 198
  mindoensis 198
  pachydermus 198
  pernambucensis 197–199
  peruensis 198
  proboscideus 197
  senex 198
  spumarius 198, 203
  varius 198
Azemiops 452–453
  feae 450
Barkudia insularis 43
Barringtonia 349
Barycholos 252
  pulcher 256
Batrachoseps 177
Betula lutea 324
Bitis arietans 450
Bothrops 449
  alternatus 454
  asper 454
  atrox 450, 454
  bilineatus 454
  brachystoma 454
  brazili 454
  caribbaeus 454
  castelnaudi 454
  cotiara 454
  fonsecai 454
  godmani 454, 456
  jararaca 454
  jararacussu 454
  lanceolatus 454
  lansbergii 454
  lateralis 454, 456
  lojana 454, 456
  microphthalmus 454, 456
  monticelli 454
  moojeni 454
  nasutus 454, 456
  neuwiedi 450
  neuwiedii 454
  nigroviridis 454, 456
  nummifera 450, 454
  ophryomegas 454
  pictus 454, 456
  pradoi 454
  pulcher 454
  sanctaecrucis 454
  schlegli 454, 456
  undulatus 454, 456
Bromus 80, 87
  rubens 75, 79
Bufo 169, 199, 201
  vertebralis 200
  woodhousei 389–393
Bufoides 201
Cacophryne 201
Caecilia albiventris 396
  inca 396
  mertensi 396
  tentaculata 396
  tenuissima 396
Callichelys 246
Calliclemys 246
Calloselasma rhodostoma 449–450, 453–454
Camissonia 80, 87
  munzii 75, 79, 86

Cannia 227–228
Capensibufo 200
tradouwi 201
rosei 201
Caretta 379–380
caretta 47–51, 69, 102, 142, 374
Carlia foliorum 352, 354
Carphophis vermis 183
Caudiverbera 253
Ceratophrys 253
Chalcides 232–233
chalcides 230–231, 234–236
concolor 231
mertensi 230–231, 235–236
striatus 231
tridactyla 235
vittatus 231
Chalcophaps indica 354
Chelonia mydas 47, 51, 67, 69–70, 374
Chelus fimbriatus 141
Chelydra serpentina 68–69, 105, 107–108, 121
Chlamydosaurus kingii 352
Chrysema 246
Chrysemis 246
Chrysemys 244
carri 243
picta 53, 67–70, 100, 102, 107–108, 111, 121, 242–243, 245–246
picta belli 121
williamsi 243
Chthonerpeton hellmichi 396
Claudium mariscoides 126
Clemmys 242
guttata 107
insculpta 68, 121
Clonophis kirtlandi 182
Cnemidophorus 27, 183
exsanguis 268
tigris 263, 478
Coluber constrictor 258, 260, 262, 264
constrictor flaviventris 182, 258–262, 265
constrictor mormon 258–262, 265
Coluber mormon 258
Corvus corax 63
Crataegus sp. 126
Craugastor 255
Crepidophryne 199–202, 253
epiotica 198
Crocodylus acutus 191–196
porosus 192, 195, 358
Crotalus 266, 449
adamanteus 450, 454
atrox 450, 454
basilicus 454
cerastes 450
durissus 454
horridus 454
lepidus 182, 454, 456
mitchelli 454
polystictus 454
polysticus 182
scutulatus 450, 454
stejnegeri 454
triseriatus 455–456
viridis 262, 265, 450, 455
viridis viridis 262
Crotaphytus bicinctores 263
collaris 263
insularis 263
Ctenosaurus 406
Ctenotus 409–410
sp. 352, 354, 357
Cyclorana sp. 352
Cylindraspis 239
indica 237
Daphnia 370
Deinagkistrodon acutus 450, 453, 455
Deirochelys 244–245
reticularia 101, 105–106, 111
Dendrobates granuliferus 169
Dendrophryniscus 197, 199, 201, 204
brevipollicatus 198, 200, 202
leucomystax 202
minutus 198, 200, 202–203
Dermochelys 386–387
coriacea 69, 107, 142, 381–382, 385
Desmognathus 177, 286, 288, 296, 307
auriculatus 283–284, 287, 297–299
brimleyorum 284, 287, 297–299
conanti 297
fuscus 283–285, 291–295, 297–299, 320, 323–333, 457–458, 460–461, 463, 465–469
fuscus conanti 287, 291–292
fuscus fuscus 287, 291–292, 458
imitator 284, 287, 297–298
monticola 149, 151, 153, 299
ochrophaeus 149, 151–154, 284, 287, 295, 297–299, 321, 325–326, 332–333, 459, 466, 468–469
quadramaculatus 149–153, 155, 320
santeetlah 284–285, 287, 294, 297–298, 323–333
sp. nov. 297–298
welteri 284, 287, 297–298
Diadophis punctatus 181
punctatus arnyi 182
punctatus regalis 182
Dibamus 41
Didynamipus 200–201
Dinodon orientale 182
Diplodactylus ciliaris 471–481
elderi 471–481
intermedius 471–481
michaelseni 471–476, 478–480
rankini 471–481
spinigerus 471–481
strophurus 471–481
williamsi 480
wilsoni 471–473, 475, 478
Diporiphora bilineata 352, 354
Dipsochelys 237
arnoldi 240
daudinii 240
elephantina 240
hololissa 240
sumeirei 240
Dipsosaurus 480
dorsalis 87, 479
Drymarchon corais couperi 127

Dytiscus verticalis 367–371
Ecdeiocolea 472
Elaphe guttata 182, 263
obsoleta obsoleta 182
Eleutherodactylus 248
aaptus 257
acatallelus 257
acerus 257
achatinus 252, 257
actites 251, 257
acuminatus 257
acutirostris 257
affinis 257
alfredi 250–251, 254–256
altae 257
altamazonicus 168, 257
anatipes 252, 254, 256
andi 254, 256
angelicus 250–251, 254, 256
anomalus 168, 252, 254, 256
anotis 256–257
antillensis 256
anzuetoi 251, 254
appendiculatus 257
atratus 257
auriculatus 256
azueroensis 254, 256
bacchus 257
balionotus 257
baryecuus 257
batrachylus 252, 255
berkenbuschii 254, 256
bicolor 251, 257
binotatus 252, 257
biporcatus 250–254, 256
bocourti 254, 256
bogotensis 256–257
boulengeri 257
bransfordii 250–251, 254–256
brevifrons 257
brocchi 254, 256
bromeliaceus 257
buckleyi 257
bufoniformis 250–254, 256
cabrerai 257
cajamarcensis 257
calcaratus 257
calcarulatus 257
caprifer 257
carmelitae 257
carvalhoi 257
caryophyllaceus 252, 257
celator 257
cerasinus 257
cerastes 252–253, 257
chalceus 257
chiastonotus 257
chlorontus 257
cochranae 256
colodactylus 257
condor 257
conspicillatus 252, 254, 257
coqui 165, 167–169, 256
cornutus 252–253, 257
cosnipatae 257
crassidigitus 254, 256
cremnobates 257
crenunguis 257
cristinae 257
croceoinguinis 168, 257
crucifer 257
cruentus 252, 257
cruralis 257
cryophilus 257
cryptomelas 257
cuacuero 254, 256
cundalli 169
curtipes 257
danae 257
daryi 254, 256
decoratus 254, 256
delicatus 257
devillei 257
diadematus 257
diastema 252, 256–257
discoidalis 252, 257
dolops 257
duellmani 257
dunni 256
elassodiscus 257
elegans 257
emcelae 252, 254, 256
eremitus 257
eriphus 257
erythropleurus 257
esoces 254, 256
fenestratus 256–257
fitzingeri 168, 252–257
fleischmanni 250–251, 254, 256
florulentus 253–254, 256
frater 257
gaigeae 252, 257
galdi 257
glandulosus 257
glaucus 252, 255
gollmeri 252, 254–256
grandiceps 257
greggi 254–256
guentheri 257
guerreroensis 254, 256
gularis 257
helonotus 253
hernandezi 257
hidalgoensis 256
hobartsmithi 250–251, 254, 256
hylaeformis 257
hypostenor 251, 257
incanus 257
ingeri 252–253, 256–257
insignitus 257
jamaicensis 256
jasperi 169
jota 252, 254, 256
karlschmidti 251, 257
lacrimosus 257
lacteus 252, 257
lanthanites 257
laticeps 251, 254

latidiscus 257
lentus 256
leoni 257
leptolophus 257
leucopus 257
lineatus 254, 256
lividus 257
longirostris 252, 254, 256
loustes 257
luteolateralis 257
luteolus 256
lutites 257
lymani 257
macdougalli 251, 254
mantipes 257
marmoratus 257
martiae 257
martinicensis 256
matudai 254, 256
maussi 250–254, 256
megalops 257
megalotympanum 254, 256
melanostictus 252, 254–256
merendonensis 252, 254
merostictus 257
mexicanus 250–251, 254, 256
milesi 252, 254
mimus 254, 256
miyatai 257
modipeplus 257
monnichorum 252, 255
moro 252
myersi 257
necerus 252–254, 256
nicefori 257
nigriventris 257
nigrogriseus 257
nigrovittatus 256–257
noblei 254, 256
nyctophylax 257
obmutescens 257
ockendeni 257
ocreatus 257
octavioi 257
omiltemanus 254, 256
orcesi 257
orestes 257
ornatissimus 257
orphnolaimus 257
pardalis 257
parvillus 168, 257
parvus 252, 257
peraticus 257
percultus 257
peruvianus 257
petersi 257
phoxocephalus 257
planirostris 168, 256
podiciferus 254, 257
portoricensis 256
prolatus 257
prolixodiscus 257
pseudoacuminatus 257
pugnax 257
punctariolus 254, 257
pusillus 257
pycnodermis 257
pygmaeus 250–251, 254, 256–257
pyrromerus 257
quaquaversus 257
quinquagesimus 257
racemus 257
ramagii 252, 257
raniformis 252, 254, 257
ranoides 256
rayo 254, 256
repens 257
rhodopis 254–257
richmondi 256
ricordii 256
ridens 252, 257
riveti 257
roseus 257
rostralis 252, 255
rubicundus 257
rugulosus 168, 249, 252, 254, 256–257
rutzi 252–253, 256–257
ruthveni 257
saltator 252, 255
sanctaemartae 256–257
sartori 252, 255
savagei 257
sernai 253
silvicola 252, 255
simoterus 257
spatulatus 257
spilogaster 257
spinosus 257
stejnegerianus 254, 257
stenodiscus 256
stuarti 254, 257
subsigillatus 257
sulcatus 252–253, 257
supernatis 257
surdus 257
taeniatus 252, 257
talamancae 254, 257
taurus 254, 257
taylori 252, 255
tayrona 257
tenebrionis 257
terraebolivaris 256–257
thecopternus 257
thymalopsoides 257
thymelensis 257
toftae 257
trepidotus 257
unistrigatus 251–252, 256–257
vanadise 257
variabilis 168
venancioi 257
ventrimarmoratus 257
versicolor 257
vertebralis 168, 251, 257
vicarius 257
viduua 257
vilarsi 257
viridicans 257

vocalis 254, 256–257
vocator 252
walkeri 257
werleri 252, 255
w-nigrum 249, 251, 256–257
xucanebi 254, 257
yucatanensis 254, 257
zygodactylus 252, 254, 257
Emydoidea blandingi 100–101, 107
Emydura australis 352
macquarii 68
signata 68
Emys 68, 242
orbicularis 69
picta 245
troostii 246
Eridiphas slevini 182
Erodium cicutarium 80
Etheostoma 265
lepidum 270
Eumeces 269
egregius 127
fasciatus 234, 361
inexpectatus 234, 361
laticeps 234, 361–362, 364–365
spp. 409
Euparkerella 252
brasiliensis 256
Eurycea 304, 307
bislineata 149–154, 466
nana 303
neotenes 303
tynerensis 303, 320
Flectonotus 445
Fritziana 445
Frostius 197–204
pernambucensis 200
Gambusia sp. 193
Geobatrachus 252
walkeri 256
Geochelone 237
carbonaria 142
denticulata 142
elephantopus 101, 121
gigantea 101, 121, 240
grali 239
indica 239
pardalis 121
triserrata 239
Geomys pinetis 126
Glauertia 253
Gloydia 453
Gopherus agassizii 58, 62, 67–71, 73–74, 93, 100, 104–105, 107, 109–111, 113, 127, 134
berlandieri 100, 107, 109–110, 115
flavomarginatus 100, 107, 127
polyphemus 95, 100–101, 107, 113, 125
Graptemys 70, 242–245
geographica 69
pseudogeographica 68–69
pulchra 69
Gyrinophilus palleucus 302–304, 306–307, 310–312, 315–317, 321–322
porphyriticus 151, 301–302, 304–309, 310, 312–315, 317–318, 321–322
subterraneus 303
Heloderma suspectum 117
Hemiptpa 412–413, 427, 445
Heterodon nasicus 182, 263
platyrhinos 182
Heteronotia binoei 481
Holoaden 252
bradei 256
Holthuisana sp. 352, 354, 356–357
Hyla crucifer 171
versicolor 390
Hylactophryne 248
augusti 250–251, 254, 256–257
occidentalis 256–257
tarahumarensis 257
Hymenochirus 418–419, 421–422, 424–425, 444–445
boettgeri 415, 420, 441
Hypnale 449
hypnale 450, 453, 455
nepa 453, 455
walli 453, 455
Hypsiglena ochrorhyncha 182
torquata 182
Iguana 183, 406
iguana 180, 268
Ischnocnema 252
quixensis 256
Isoodon 350
sp. 353–354
Kinosternon dunni 142
flavescens 68–69
scorpioides 142
subrubrum 100–101, 105–109, 111
Lacerta chalcides 235
vivipara 180
Lachesis mutus 455
Lampropeltis calligaster calligaster 182
getulus holbrooki 182
mexicana 182
pyromelana 263
triangulum 263
triangulum syspila 182
Langloisia 80, 86
setosissima 75, 79
Larrea tridentata 136
Laurentophryne 200–201
Lechriodus 253
Leiocephalus 406
Lepidobatrachus 253
Lepidochelys kempi 47, 51, 53, 70, 373–376, 378–380
olivacea 47, 51, 53, 69–70
Leptodactylus 169
Leptonychotes weddelli 386
Leptophryne 201
borbonica 198
Lerista karlschmidtii 354
Leucothoe axillaris 324
Leurognathus marmoratus 320
Limnodynastes ornatus 357
sp. 352
Liriodendron tulipifera 324
Litoria sp. 352

Lophognathus gilberti 354
Lutkenotyphlus brasiliensis 396
Mabuya 410
Malaclemys 243–245
terrapin 107
terrapin tequesta 267
Mantidactylus 169
Masticophis 183, 266
bilineatus 182
taeniatus 263
taeniatus taeniatus 182, 265
Melaleuca 349
argentea 350
Melanophryniscus 199–201, 203–204
moreirae 198
stelzneri 198
Mertensophryne 200
micranotis 201
Microbatrachylus 251
polyptychus 256
sp. 256
Micrurus fulvius 269
Mixophyes fasciolatus 253
iteratus 253
Mus 350
musculus 353–354, 357
Nectemys 246
Nectocaecilia cooperi 396
ladigisi 396
Nectophryne afra 200
Nectophrynoides 169, 200
malcolmi 198
osgoodi 198
vivipara 198
Neelaps 269
Neoseps reynoldsi 127
Neotoma lepida 120
Nerodia fasciata 182–183
spp. 450
Nesomantis thomasseti 253
Niceforonia festae 256
Notechis scutatus 183
Notonecta indica 171–173
undulata 171–173
Notophthalmus 178
viridescens 313
Oedura castelanaui 481
lesueurii 481
reticulata 478–480
Opheodrys 183
aestivus 181–182, 268
Ophisaurus 269
apodus 41
Orcinus orca 386
Oreophrynella 200–201, 203–204, 253
Oryzopsis 80
hymenoides 75, 79, 86
Oscaecilia equatorialis 396
Osornophryne 197, 199–201, 204
bufoniformis 198, 203
percrassa 203
Ovophis 455
Paleotriton 206, 213
Pectocarya 95
Pedostibes 201
hosei 198
Pelophryne albotaeniata 201
breviceps 201
Peltocephalus dumerilianus 141
Peltophryne 199
empusa 198
fluviatica 198, 200
guentheri 198
gundlachi 198
longinasus 198
taladai 198
Peromyscus 265
floridanus 127
maniculatus 268
maniculatus gracilis 270
Phaeognathus hubrichti 307, 320
Philodryas olfersi 182
Phrynops geoffroanus 141
gibbus 141
nasutus 140–141
zuliae 141
Phrynopus 252
peraccai 256
Phrynosoma 405
douglassi 263
platyrhinos 263
Phyllodactylus marmoratus 481
Physalaemus pustulosus 390, 399
Pinus 324
clausa 126
elliottii 126
palustris 126
taeda 129
Pipa americana 413, 426
arrabali 412–413, 416, 419–422, 424–432, 434, 437, 441, 443–445, 447
aspera 413, 421, 425–434, 437, 445, 447
carvalhoi 412, 414, 417, 421–422, 425–432, 434–435, 441, 443–445, 447
cururu 439
monstrosa 440
myersi 412–413, 416, 421–427, 429–432, 436–437, 441, 443–445, 448
parva 412, 417, 421–427, 429–431, 437–438, 441, 443–445, 448
pipa 412, 415, 418–422, 425–427, 429–432, 434, 437–441, 443–445, 448
snethlageae 412–413, 418–425, 427–431, 432, 437–438, 440–441, 443–445, 449
Pipra 426
Pituophis melanoleucus 262–263
melanoleucus deserticola 182, 265–266
melanoleucus sayi 266
Platemys 141
platycephala 142
Plectrachne spp. 472
Plethodon 295, 307, 320
aureolus 157–162
dorsalis 315
glutinosus 156–162, 321, 466
jordani 157–162
kentucki 157–162
Podocnemis erythrocephala 140

expansa 140–141
unifilis 141
vogli 141
Poecilia sp. 193
Procyon lotor 127
Protopipa carvalhoi 413, 434
Pseudacris ornata 171
Pseudechis 217
australis 215–216, 218–227, 229
brunnea 225
butleri 215–216, 219–229
colletti 215–216, 219–227, 229
cuprea 225
darwiniensis 225
denisonioides 225
guttatus 215–216, 218–224, 226–229
papuanis 227
papuanus 215–216, 220, 224, 226–227
platycephalus 225
porphyriacus 183, 215–216, 218, 225–229
Pseudemys 68, 244
alabamensis 246
caelata 243
concinna 242–243, 246
floridana 100–101, 105–106, 108–109, 111, 121, 242–243, 245–246
nelsoni 243, 246
picta chichiriviche 142
rubriventris 242, 245–246
scripta 53, 69, 100–101, 105–111, 121
scripta callirostris 142
Pseudhymenochirus 441
Pseudobufo 201
Pseudomys 350
sp. 353
Pseudonaja 225
ingrami 218
nuchalis 217–218, 221, 223
textilis 218
Pseudotriton 303
montanus 301–302, 304, 306–307, 310–312, 314, 316, 318–320
ruber 149, 151, 153–154, 301–302, 304–310, 312, 314, 316, 318–322
Ptychemys 246
Quercus 324
laevis 126
spp. 126
Rana 169
areolata 127, 171
aurora 173, 273–274, 276–280
boylii 273–274, 276–281
brevipoda 274–280
catesbeiana 273–274, 276–281, 368, 389–393
clamitans 273–274, 276–280, 367–369, 371
grylio 273–274, 276–280
heckscheri 273–274, 276–280
palustris 273–280
pipa 413, 426
pipiens 273–281, 389–393
pretiosa 173
ridibunda 281
septentrionalis 273–274, 276–280
sphenocephala 171
sylvatica 273–274, 276–281, 333, 368
temporaria 273–281
utricularia 273–280
virgatipes 273–274, 276–280
Ranidella sp. 352
Rattus 350
sp. 353
Redamia 246
Regina 183
grahami 182
septemvittata 181–182
Rhamphophryne 197, 199–202
acrolopha 198
macrorhina 198
proboscideus 198
Rhinatrema bivittatum 396
Rhinoclemmys diademata 142
melanosterna 142
pulcherrima 142
punctularia 142
Rhinophrynus 253, 419–422, 424–425
dorsalis 415, 423, 441
Rhododendron 150
maximum 324
Salamandra 177
salamandra 174–175, 178
Sauromalus hispidus 82
obesus 87
Scaphiodontophis annulatus 269
venustissimus 269
Scaptochelys 58
Sceloporus 183, 187–188, 190, 262
graciosus 185, 263
jarrovi 180, 268
occidentalis 263
undulatus 185–186, 189, 263
undulatus garmani 185–186, 188
Schismaderma 200–201
Schismus 95
Simoselaps 269
Siphonops annulatus 396
Sistrurus 456
catenatus 182, 455
miliarius 182, 450, 455
Sminthillus 252
limbatus 250–251, 256–257
Sminthopsis 350
sp. 354
Sonchus oleraceus 75
Sphenomorphus isolepis 352, 354
Stephopaedes 200
anotis 201
Stereochilus 320
marginatus 301, 303–304, 306–307, 312–319, 321
Sternotherus odoratus 68–69, 100–101, 105, 108
Storeria dekayi 183
dekayi texana 182
Strophurus 471–472, 475, 480
Styporhynchus mairii 352
Syrrhophus 250–252, 255, 258
campi 251, 256, 258
cystignathoides 251, 258
guttilatus 258
latodactylus 256

leprus 256, 258
longipes 256, 258
marnockii 258
modestus 258
nivicolimae 258
pipilans 258
rubrimaculatus 258
teretistes 258
verrucipes 258
Tachyglossus 350, 353
Taxodium distichum 126
Telmatobufo 253
Tenebrio molitor 390
Terrapene carolina 110, 121
ornata 121
Testudo concinna 246
elephantina 237, 240
elephantopus 237, 240
gigantea 237–240
gigantea mihi 238
graeca 67–69
hermanni 121
indica 237–238
scabra 246
vosmaeri 237
Thamnophis butleri 181–182
elegans 263
marcianus 182
proximus 182
radix 181–182
sirtalis 181, 183, 266–267
sirtalis parietalis 182
sirtalis semifasciata 182
Tiliqua 410
occipitas 409
scincoides 405–406, 409
Tomodactylus 252, 255
albolabris 258
augustidigitorum 250–251, 256, 258
fuscus 258
nitidus 250–251, 256, 258
saxatilis 258
Tracheloptychus 399
Trachemys 244
decorata 246
decussata 246
scripta 242–243, 245–246
stejnegeri 246
terrapen 246
Trachydosaurus 406
rugosa 409
Trimeresurus 449
albolabris 450, 455
borneensis 455
cantori 455
cornutus 455
erythrurus 455
flavomaculatus 455
flavoviridis 453, 455
gramineus 450, 455
hageni 455
jerdoni 453, 455
kanburiensis 455
kaulbacki 453, 455
macrolepis 455
malabaricus 455
monticola 455
mucrosquamata 453
mucrosquamatus 455
mutabilis 455
okinavensis 455
popeorum 455
puniceus 455
purpureomaculatus 455
stejnegeri 455
strigatus 455
sumatranus 455
trigonocephalus 455
wagleri 453, 455
Triodia spp. 472
Trionyx muticus 107
spinifer 121
spiniferus 68
Triturus italicus 206–208, 213
vulgaris 206, 213
vulgaris vulgaris 213
Tropidoclonion lineatum 182–183
Tropidolaemus 455
Tsuga canadensis 324
Typhlomolge rathbuni 303, 307, 320
Uperoleia inundata 352
Urosaurus ornatus 263
Uta 481
stansburiana 102, 185–186, 188–189, 263, 478
Varanus 406
acanthurus 347, 358–359
glebopalma 347
gouldii 346–351, 353–355, 357–359
komodoensis 350, 358–359
mertensi 346–351, 353, 355–359
mitchelli 346–351, 353, 355, 357–359
panoptes 346–353, 355, 357–359
scalaris 347, 355, 358
spenceri 359
tristis 347, 355
varius 359
Vipera aspis 182
berus 365, 450
russelli 182
Werneria preussi 200
Wolterstorffina 200–201
Xenopus 419–425, 443
laevis 415, 441
muelleri 415, 441
Xerobates 58
Zonosaurus 399–400

TOPICAL INDEX

HERPETOLOGICA

Volume 42 December 1986

ALLOZYMES, *Triturus italicus* (geographic genic variation) 206–214; *Pseudechis* (6 Australian spp.) 215–229; *Chalcides chalcides* (Spanish and Moroccan compared) 230–236; *Rana* (eastern North America) 273–282; *Desmognathus fuscus* (geographic variation) 283–301.

ANATOMY, Middle American *Eleutherodactylus* (jaw musculature) 248–258; *Gyrinophilus, Pseudotriton, Stereochilus* (sexually dimorphic cloacal glands) 301–323; crotaline snakes (*M. pterygoideus glandulae*) 449–457.

BEHAVIOR, *Eurycea bislineata* (movement up and down streams) 149–155; *Gopherus agassizii* in Nevada 73–92; eastern *Plethodon* (behavioral isolating mechanisms) 156–164; *Eleutherodactylus coqui* (mating) 165–170; *Eumeces laticeps* (sexual behavior related to secretions of urodaeal glands) 361–366; *Dermochelys coriacea* (dive patterns during internesting interval) 381–388; *Ambystoma tigrinum* (locomotor activity) 483–491.

BIOGRAPHY, Chapman Grant 1–32.

CHEMORECEPTION, eastern *Plethodon* (role in species recognition) 156–164.

CHROMOSOMES, Australian *Pseudechis* 215–229.

CLOACA, *Gyrinophilus, Pseudotriton, Stereochilus* 301–323.

COURTSHIP, *Eleutherodactylus coqui* 165–170.

DEMOGRAPHY, *Caretta caretta* 47–55.

DIET, *Gopherus agassizii* in Nevada 73–92; *Varanus* (4 Australian spp.) 346–360; 8 spp. *Diplodactylus* (arthropods) 471–482.

DISTRIBUTION, *Salamandra salamandra* (relic population on Mt. Carmel, Israel) 174–179; species of *Pipa* 431, 434, 437.

DISTRIBUTION MAPS, 6 spp. of *Pseudechis* 216; *Triturus italicus* 210; *Pipa* 431, 434, 437.

EGG, *Sceloporus undulatus* (number and size related to season) 185–191.

ELECTROPHORESIS, *Triturus italicus* (genic variation) 206–214; 6 spp. of *Pseudechis* (phylogenetic relationships) 215–229; *Chalcides chalcides* and *C. mertensi* compared (specific distinctness) 230–236; *Rana* (systematics of eastern North American species) 273–282; *Desmognathus fuscus* (geographic isozyme variation) 283–301.

ENERGETICS, *Gopherus agassizii* in Nevada 73–92.

FECUNDITY, *Varanus* (4 Australian spp.) 346–360.

GLANDS, *Gyrinophilus, Pseudotriton, Stereochilus* (sexual dimorphism in cloacal glands) 301–323.

GROWTH, *Salamandra salamandra* on Mt. Carmel, Israel 174–179; *Crocodylus acutus* (hatchling growth in warmer, less saline cooling canals) 191–196; *Ambystoma opacum, A. talpoideum, A. maculatum* (larvae) 334–345; *Tiliqua scincoides* (related to thermoregulation) 405–412; *Diplodactylus* 471–482.

HABITAT, *Gopherus agassizii* 62–67, 134–138; *G. polyphemus* 125–133; *Varanus* (utilization) 346–360.

HISTORY, of *Herpetologica* and the Herpetologists' League 1–32.

KARYOTYPES, 6 spp. of *Pseudechis* 218–219.

LARVAE, *Eurycea bislineata* (movement down streams) 149–155; *Ambystoma opacum, A. talpoideum, A. maculatum* (size at hatching and growth rates) 334–345; *Rana clamitans* (vulnerability to larval diving beetles) 367–373.

LOCOMOTION, limbless vertebrates 33–46; *Ambystoma tigrinum* (activity patterns of neotenic and terrestrial compared) 483–491.

MANAGEMENT, *Gopherus agassizii* 56–125, 134–138; *Gopherus polyphemus* 125–133.

MORPHOLOGY, *Chalcides chalcides* and *C. mertensi* compared (species distinctness) 230–236; *Coluber constrictor* (variation across central Rocky Mountains) 258–264; *Varanus* (4 Australian spp. compared) 346–360; *Pipa* 412–449; 8 spp. *Diplodactylus* 471–482.

MOVEMENTS, freshwater turtles (in relation to nesting site, overwintering site, unsuitable habitat, and search for mate) 104–113; *Eurycea bislineata* (up and down streams) 149–155; *Lepidochelys kempi* (offshore movements post-nesting) 373–381.

NOMENCLATURE, giant tortoises of Aldabra (*Testudo gigantea*) 237–241; *Chrysemys, Pseudemys, Trachemys* (review of taxonomy based on morphology, biochemistry, and paleontology) 242–248.

OLFACTION, role in salamander reproductive isolation 156–164.

OSTEOLOGY, *Pipa* 412–449.

PHEROMONES, *Eumeces laticeps* (produced by urodaeal glands) 361–366.

PHYLOGENY, bufonid genera (analysis of derived osteological, myological, larval, and life history character states) 197–205; 6 spp. of Australian *Pseudechis* (cytogenetics, scalation, morphology, blood proteins) 215–229; *Pipa* 412–449.

PHYSIOLOGY, *Gopherus agassizii* in Nevada (energetics, estivation, metabolic rate, nitrogen assimilation, osmoregulation) 73–92; *Rana catesbeiana, R. pipiens, Bufo woodhousei* (aerobic capacity) 389–394; *Tiliqua scincoides* (thermoregulation, digestive efficiency) 405–412.

PREDATION, on larval *Rana areolata* (size-limited predation by backswimmers) 171–174; on *Rana clamitans* tadpoles by larval diving beetles) 367–373.

RADIOTELEMETRY, *Lepidochelys kempi* (movements of post-nesting females) 373–381.

RELOCATION, *Gopherus agassizii* (implications on social behavior and movements) 113–125.

REPRODUCTION, *Caretta caretta* (survivorship of eggs and hatchlings) 47–55; *Gopherus agassizii* in California (egg production, hatching success) 93–104; *Eleutherodactylus coqui* (courtship, amplex-

us, and oviposition) 165–170; snakes (relative clutch mass related to female body size and reproductive mode) 179–185; *Sceloporus undulatus* (seasonal change in size of clutch, eggs, and hatchlings) 185–191; *Crocodylus acutus* (effects of temperature and salinity on hatchlings) 191–196; *Coluber constrictor* (clutch size) 262; *Desmognathus fuscus* and *D. santeetlah* (age and size at maturity, seasonal cycle, oviposition, clutch size, length of development, nesting sites) 323–334; *Ambystoma opacum*, *A. talpoideum*, *A. maculatum* (sizes of ova, clutches, hatchlings, and females; larval growth rates) 334–345; *Varanus* (sex ratios, size at maturity, seasonal cycles, fecundity, size at hatching) 346–360; *Lepidochelys kempi* (nesting) 373–381; *Desmognathus fuscus* (oviposition, length of development, hatching stages, nesting behavior) 457–471; *Diplodactylus* (8 spp., size at maturity, sexual dimorphism, clutch size, seasonal reproductive patterns) 471–482

SEX DETERMINATION, reviewed for turtles 67–72.

SEX RATIO, *Ambystoma tigrinum* (neotenic vs. transformed) 483–491.

SPERMATHECA, *Gyrinophilus*, *Pseudotriton*, *Stereochilus* 301–323.

SURVIVORSHIP, *Caretta caretta* 47–55.

SYSTEMATICS, Neotropical bufonids (description of genus *Frostius*) 197–205; *Eleutherodactylus* (Middle America) 248–258; *Rana* (eastern North American species) 273–282; *Desmognathus* (genetic distances between 10 species) 283–301; *Pipa* 412–449; crotaline snakes (based on jaw muscles) 449–457.

ZOOGEOGRAPHY, *Coluber constrictor* (central Rocky Mountains) 262–263; *Pipa* 412–449.

HERPETOLOGICA

Volume 42 December 1986

TABLE OF CONTENTS

Altig, Ronald (see Walls, Susan C.)
Announcements 144, 272, 401
Berry, Kristin H.
Desert Tortoise (*Gopherus agassizii*) Research in California, 1976–1985 62
Berry, Kristin H.
Desert Tortoise (*Gopherus agassizii*) Relocation: Implications of Social Behavior and Movements 113
Bohnsack, Barbara (see Mazzotti, Frank J.)
Book Reviews 139, 265, 395
Brode, John M. (see Foreman, Larry D.)
Bruce, Richard C.
Upstream and Downstream Movements of *Eurycea bislineata* and Other Salamanders in a Southern Appalachian Stream 149
Burge, Betty L. (see Turner, Frederick B.)
Bury, R. Bruce (see Corn, Paul Stephen)
Busack, Stephen D.
Taxonomic Implications of Biochemical and Morphological Differentiation in Spanish and Moroccan Populations of Three-Toed Skinks, *Chalcides chalcides* (Lacertilia, Scincidae) 230
Cannatella, David C.
A New Genus of Bufonid (Anura) from South America, and Phylogenetic Relationships of the Neotropical Genera 197
Cannatella, David C. (see Trueb, Linda)
Cooper, William E., Jr., William R. Garstka, and Laurie J. Vitt
Female Sex Pheromone in the Lizard *Eumeces laticeps* 361
Corn, Paul Stephen and R. Bruce Bury
Morphological Variation and Zoogeography of Racers (*Coluber constrictor*) in the Central Rocky Mountains 258
Cronin, James T. and Joseph Travis
Size-Limited Predation on Larval *Rana areolata* (Anura: Ranidae) by Two Species of Backswimmer (Insecta: Hemiptera: Notonectidae) 171
Crumly, Charles R.
The Identity of *Testudo gigantea* Schweigger, 1812: Another Interpretation 237
Dawley, Ellen M.
Behavioral Isolating Mechanisms in Sympatric Terrestrial Salamanders 156
Dell, J. (see How, R. A.)
Diemer, Joan E.
The Ecology and Management of the Gopher Tortoise in the Southeastern United States 125
Eckert, Karen L. (see Eckert, Scott A.)
Eckert, Scott A., David W. Nellis, Karen L. Eckert, and Gerald L. Kooyman
Diving Patterns of Two Leatherback Sea Turtles (*Dermochelys coriacea*) during Inter-nesting Intervals at Sandy Point, St. Croix, U.S. Virgin Islands 381
Ferguson, Gary W. and Howard L. Snell
Endogenous Control of Seasonal Change of Egg, Hatchling, and Clutch Size of the Lizard *Sceloporus undulatus garmani* 185
Fitch, Henry S. (see Seigel, Richard A.)
Ford, Neil B. (see Seigel, Richard A.)
Foreman, Larry D., John M. Brode, Robert Haussler, and Karla Kramer
The Responsibilities of Federal and State Agencies for Protection of the Desert Tortoise in California 59
Formanowicz, Daniel R., Jr.
Anuran Tadpole/Aquatic Insect Predator–Prey Interactions: Tadpole Size and Predator Capture Success 367

Frazer, Nat B.
Survival from Egg to Adulthood in a Declining Population of Loggerhead Turtles, *Caretta caretta* 47
Gans, Carl
Locomotion of Limbless Vertebrates: Pattern and Evolution 33
Garstka, William R. (see Cooper, William E., Jr.)
Gibbons, J. Whitfield
Movement Patterns among Turtle Populations: Applicability to Management of the Desert Tortoise 104
Groombridge, B.
Comments on the *M. Pterygoideus Glandulae* of Crotaline Snakes (Reptilia: Viperidae) 449
Guttman, Sheldon I. (see Karlin, Alvan A.)
Haussler, Robert (see Foreman, Larry D.)
Hayden, Page (see Turner, Frederick B.)
How, R. A., J. Dell, and B. D. Wellington
Comparative Biology of Eight Species of *Diplodactylus* Gecko in Western Australia 471
Index to Scientific Names for Volume 42 496
Instructions for Contributors 402
Jones, R. L.
Reproductive Biology of *Desmognathus fuscus* and *Desmognathus santeetlah* in the Unicoi Mountains 323
Jutterbock, J. Eric
The Nesting Behavior of the Dusky Salamander, *Desmognathus fuscus*. I. Nesting Phenology 457
Karlin, Alvan A. and Sheldon I. Guttman
Systematics and Geographic Isozyme Variation in the Plethodontid Salamander *Desmognathus fuscus* (Rafinesque) 283
Kooyman, Gerald L. (see Eckert, Scott A.)
Kramer, Karla (see Foreman, Larry D.)
Lynch, John D.
The Definition of the Middle American Clade of *Eleutherodactylus* Based on Jaw Musculature (Amphibia: Leptodactylidae) 248
Mazzotti, Frank J., Barbara Bohnsack, Mark P. McMahon, and J. Ross Wilcox
Field and Laboratory Observations on the Effects of High Temperature and Salinity on Hatchling *Crocodylus acutus* 191
McMahon, Mark P. (see Mazzotti, Frank J.)
Medica, Philip A. (see Nagy, Kenneth A.)
Mendonça, Mary T. and Peter C. H. Pritchard
Offshore Movements of Post-Nesting Kemp's Ridley Sea Turtles (*Lepidochelys kempi*) 373
Mengden, Gregory A., Richard Shine, and Craig Moritz
Phylogenetic Relationships within the Australasian Venomous Snakes of the Genus *Pseudechis* 215
Moritz, Craig (see Mengden, Gregory A.)
Nagy, Kenneth A. and Philip A. Medica
Physiological Ecology of Desert Tortoises in Southern Nevada 73
Nellis, David W. (see Eckert, Scott A.)
Pearson, Daniel C.
The Desert Tortoise and Energy Development in Southeastern California 58
Phillips, John A.
Ontogeny of Metabolic Processes in Blue-Tongued Skinks, *Tiliqua scincoides* 405
Pritchard, Peter C. H. (see Mendonça, Mary T.)
Pytel, Barbara Ann
Biochemical Systematics of the Eastern North American Frogs of the Genus *Rana* 273
Ragghianti, Matilde and David B. Wake
Genic Variation and Its Evolutionary Implications in the Italian Newt, *Triturus italicus* 206
Roberson, Jan B. (see Turner, Frederick B.)
Rodda, Gordon H.
A Comparison of Locomotor Activity in Neotenic and Terrestrial Salamanders (*Ambystoma tigrinum*) 483
Schamberger, Melvin L. and Frederick B. Turner
The Application of Habitat Modeling to the Desert Tortoise (*Gopherus agassizii*) 134
Seidel, Michael E. and Hobart M. Smith
Chrysemys, Pseudemys, Trachemys (Testudines: Emydidae): Did Agassiz Have It Right? 242
Seigel, Richard A., Henry S. Fitch, and Neil B. Ford
Variation in Relative Clutch Mass in Snakes among and within Species 179

Sever, David M.
Disparate Sexual Variation among *Gyrinophilus*, *Pseudotriton* and *Stereochilus* (Amphibia: Plethodontidae) 301
Shine, Richard
Food Habits, Habitats and Reproductive Biology of Four Sympatric Species of Varanid Lizards in Tropical Australia 346
Shine, Richard (see Mengden, Gregory A.)
Smith, Hobart M.
Chapman Grant, *Herpetologica*, and the Herpetologists' League 1
Smith, Hobart M. (see Seidel, Michael E.)
Snell, Howard L. (see Ferguson, Gary W.)
Spotila, James R. and Edward A. Standora
Sex Determination in the Desert Tortoise: A Conservative Management Strategy Is Needed 67
Standora, Edward A. (see Spotila, James R.)
Stewart, Margaret M. (see Townsend, Daniel S.)
Summary of Business Conducted at the Annual Meeting 492
Table of Contents for Volume 42 i
Topical Index for Volume 42 504
Townsend, Daniel S. and Margaret M. Stewart
Courtship and Mating Behavior of a Puerto Rican Frog, *Eleutherodactylus coqui* 165
Travis, Joseph (see Cronin, James T.)
Trueb, Linda and David C. Cannatella
Systematics, Morphology, and Phylogeny of Genus *Pipa* (Anura: Pipidae) 412
Turner, Frederick B.
Foreword, Management of the Desert Tortoise in California 56
Turner, Frederick B., Page Hayden, Betty L. Burge, and Jan B. Roberson
Egg Production by the Desert Tortoise (*Gopherus agassizii*) in California 93
Turner, Frederick B. (see Schamberger, Melvin L.)
Vitt, Laurie J. (see Cooper, William E., Jr.)
Wake, David B. (see Ragghianti, Matilde)
Walls, Susan C. and Ronald Altig
Female Reproductive Biology and Larval Life History of *Ambystoma* Salamanders: A Comparison of Egg Size, Hatchling Size, and Larval Growth 334
Walsberg, Glenn E.
Comparison of Two Techniques for Estimating the Maximum Aerobic Capacity of Amphibians 389
Warburg, M. R.
A Relic Population of *Salamandra salamandra* on Mt. Carmel: A Ten-Year Study 174
Wellington, B. D. (see How, R. A.)
Wilcox, J. Ross (see Mazzotti, Frank J.)